




CARBON / NITROGEN / PROTEIN ANALYZER


ELEMENTRAC CN-r

**The ELEMENTRAC CN-r is the perfect solution for high-throughput laboratories needing fast and reliable nitrogen, protein, and carbon determination. This analysis method, known as Dumas analysis or the Dumas method, is a proven alternative to the traditional Kjeldahl method for determining total nitrogen and protein by combustion of the sample.**

State-of-the-art hardware and an integrated PC with touchscreen allow the operator to monitor the process and control all parameters. The compact design of the ELEMENTRAC CN-r saves laboratory space. The use of non-aggressive chemicals ensures higher work safety compared to the Kjeldahl method.

Typical samples for the Dumas combustion analyzers are natural products of various compositions. The ELEMENTRAC CN-r ensures complete combustion analysis of all samples thanks to the use of a pure oxygen atmosphere during the process. Combined with the highly efficient, chromium-free catalyst, all components are fully oxidized. This prevents the formation of soot and liquid tin, contributing to the stability and accuracy of the results. Furthermore, method optimization is greatly simplified by the excess oxygen during combustion in the ELEMENTRAC CN-r.

The innovative autosampler of the ELEMENTRAC CN-r ensures clear sample identification, preventing mix-ups even in a busy laboratory environment and making it easier to handle a large number of samples.



CARBON / NITROGEN / PROTEIN ANALYZER


## **ROBUST AND RELIABLE DETERMINATION OF CARBON, NITROGEN, AND PROTEINS**

- | Automated nitrogen / protein and carbon determination using the Dumas method
- | Fast results in 2 minutes and 30 seconds, and low cost per sample
- | Ergonomic design with integrated PC and tiltable touchscreen
- | Modern, cost-effective, time- and space-saving alternative to traditional Kjeldahl systems
- | Optimized for high throughput, reliability, and cost efficiency
- | Available in two configurations: carbon and nitrogen / protein analyzer, or nitrogen / protein analyzer only

ELTRA-CN

CARBON / NITROGEN / PROTEIN ANALYZER  
ELEMENTRAC CN-r

## 操作と分析のプロセス



### Step 1: Registration of the Sample in the Elements 4.0 Software

The sample is registered in the ELEMENTS 4.0 software. The weight is automatically transferred from the balance (step 1) – fast, safe, and error-free.




### Step 2: Weighing and Application

Whether a few milligrams or up to 1 gram: the ELEMENTRAC CN-r offers the highest precision with various sample types – solid or liquid. These are simply weighed into tin foil or tin capsules and reliably analyzed.



### ステップ3：分析

The samples are conveniently placed into the carousel. The CN-r automatically detects the carousel and clearly assigns all samples – ensuring a smooth, safe, and automated process.



### ステップ4：データ出力とエクスポート

分析開始後120～180秒で、測定された酸素と窒素と水素の濃度は、レポートまたはLIMSを介してデータ出力できます。

CARBON / NITROGEN / PROTEIN ANALYZER  
ELEMENTRAC CN-r


## 構成

The ELEMENTRAC CN-r can be flexibly configured:


- | Nitrogen/Protein determination
- | Nitrogen/Protein and Carbon determination

While carbon is detected as CO<sub>2</sub>, nitrogen determination is performed in elemental form using a highly sensitive thermal conductivity cell (TCD). Helium is used as the standard carrier gas (argon optional). This ensures maximum sensitivity in nitrogen analysis.

### NON-DISPERSIVE INFRARED DETECTORS (NDIR)



### 高感度の熱伝導度セル



CARBON / NITROGEN / PROTEIN ANALYZER  
ELEMENTRAC CN-r

## 統合された標準ソリューション

All chemicals required for operation are ergonomically arranged at the front and safely hidden behind a door during routine use. Maintenance is especially user-friendly: combustion and reduction tubes can be replaced without tools in just a few minutes. This well-thought-out design reduces time expenditure, increases reliability, and ensures maximum reproducibility of your analyses.

### TOUCHSCREEN & INTEGRATED PC

The ELEMENTRAC CN-r is equipped with a modern touchscreen that can be placed flexibly either directly on the device or conveniently on the desk. Thanks to the integrated PC, no additional hardware is required. The ELEMENTS 4.0 software can be intuitively operated via touchscreen – or classically with a keyboard and mouse. With the available USB ports, you can easily connect peripheral devices such as a keyboard, mouse, or a balance.

### NETWORKING & DATA ACCESS


The CN-r can be easily integrated into your network. This allows you to transfer results directly into your LIMS or access the device software from your office PC. Whether recalculations, evaluations, or entering new samples: you always have full access and can complete your tasks easily and efficiently – regardless of the device's location.

### HIGH PERFORMANCE

Analyze your samples in less than 3 minutes! Our intelligent processing allows simultaneous combustion of the current sample and analysis of the previous sample (so-called interleave analysis). Get results over 70 times faster than with the Kjeldahl method and benefit from unparalleled speed in your analysis workflow.

### EFFORTLESS MAINTENANCE

All consumables can be replaced in less than 15 minutes, keeping your system always ready for use. An optimized workflow with quick and effortless maintenance ensures smooth operation with minimal downtime.



ELEMENTRAC CN-rの標準機能に加えて、分析効率を高め、多様なアプリケーションに対応するためのオプションを利用することができます。


CARBON / NITROGEN / PROTEIN ANALYZER  
ELEMENTRAC CN-r

ソフトウェア

**The comprehensive ELEMENTS software is an essential component of all elemental analyzers of the ELEMENTRAC generation.**

A central window (analysis and results) is the starting point from which all functionalities required for the daily routine are easily accessible. From here it is possible to group and export analyzed samples or to register and analyze new samples. The user can access various subordinate functionalities such as application settings, calibration, diagnostics, audit trail, user group management or status and is FDA 21 CFR Part 11 compliant.

In addition, thanks to the network integrity and web browser architecture, you can access the device from any computer in the company network and have all data available at any time.



アプリケーションノート

PROTEIN DETERMINATION IN MILK WITH DUMAS METHOD

The Dumas method is a valid alternative for determining protein content in milk, providing quick and accurate results without the use of harmful chemicals. Its efficiency and safety



make it increasingly popular compared to the Kjeldahl method. Read our application note...



CARBON / NITROGEN / PROTEIN ANALYZER  
ELEMENTRAC CN-r

## 典型的なサンプル材料

The Dumas method for protein and nitrogen determination is internationally recognized and validated by leading organizations such as AOAC, AACC, ISO, DIN, AOCS, and OIV.



米

- | Determination of protein content for nutritional labeling and quality control
- | Evaluation of rice by-products (bran, husks) for animal feed regarding nutrient composition
- | Supporting breeding and research for improved rice varieties (higher protein content, better nutritional properties)





## 土壤

- | Soil samples to evaluate nitrogen availability for plants
- | Fertilizers to determine nitrogen content and thereby fertilizer quality



## MILK & DAIRY PRODUCTS

- | Analysis of solid or liquid samples such as cheese, blue cheese, yogurt, and milk
- | Determination of protein content for nutritional labeling and quality control
- | The ELEMENTRAC CN-r meets or exceeds the requirements of all common international standards, such as DIN EN ISO 14891





## MEAT & MEAT PRODUCTS

- | Determination of protein content for nutritional labeling and quality control
- | Verification of meat authenticity and prevention of food fraud
- | Monitoring protein levels in processed meat products



## 石炭

- | Measurement of nitrogen content to assess quality
- | Control of nitrogen levels in coke production
- | Optimization of combustion processes and reduction of emissions



## 肥料

- | Determination of nitrogen concentration to ensure fertilizer efficiency
- | Quality control and compliance with agricultural standards
- | Evaluation of nutrient availability for improved crop yield





穀物 & オイルシード

- Protein determination for nutritional evaluation and feed production
- Quality assessment in oilseed processing (soy, sunflower, rapeseed, etc.)
- Supporting research on oilseed breeding and agricultural development



CARBON / NITROGEN / PROTEIN ANALYZER  
ELEMENTRAC CN-r

製品仕様

|                  |                                                      |
|------------------|------------------------------------------------------|
| 測定範囲             | 窒素：0.03mg～300mg／炭素：0.02mg～175mg                      |
| 典型的な重量           | 最大1.0g、公称0.5g                                        |
| 分析時間             | < 3 min                                              |
| 検出器              | 熱伝導度検出器（N）<br>NDIR（C）                                |
| 典型的なサンプル         | 食品、飼料、燃料（石炭およびコークス）、環境サンプルおよび肥料                      |
| 試薬               | 過塩素酸マグネシウム、水酸化ナトリウム、銅、酸化アルミニウム                       |
| 電源               | 230 VAC ± 10 %, 50/60 Hz                             |
| キャリアガス           | 酸素（純度99.999%）<br>ヘリウム（純度99.996%）<br>圧縮空気（オイルフリー、ドライ） |
| コンフィギュレーション      | CN-r, N-r                                            |
| 重量               | 135 kg                                               |
| 外形寸法 (W x H x D) | (幅×高さ×奥行) 75.7×78.5×62cm                             |

[www.eltra.com/cn-r](http://www.eltra.com/cn-r)

## 注文データ

### ELEMENTRAC® CN-R

#### Measuring range for 300 mg sample weight

|            |                                                                                   |      |                                                                                  |
|------------|-----------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------|
| 88200-4000 |  | CN-r | 0.007 – 58.3 % C (0,02 – 175 mg C abs.)<br>0.01 – 100 % N (0,03 – 300 mg N abs.) |
| 88200-4001 |                                                                                   | CN-r | 0.01 – 100 % N (0,03 – 300 mg N abs.)                                            |

### REQUIRED ACCESSORIES

Linux based PC is already integrated, as well as 21,5 " Touchscreen monitor

|            |                               |
|------------|-------------------------------|
| 88400-0645 | Balance (resolution 0.0001 g) |
|------------|-------------------------------|

### REQUIRED CONSUMABLES / CHEMICALS FOR FIRST OPERATIONS

|            |                         |
|------------|-------------------------|
| 88500-0021 | CN-r / N-r Starting kit |
|------------|-------------------------|

|       |                                                                                     |          |
|-------|-------------------------------------------------------------------------------------|----------|
| 90200 |  | Anhydron |
|-------|-------------------------------------------------------------------------------------|----------|

|       |                                                                                     |                  |
|-------|-------------------------------------------------------------------------------------|------------------|
| 90210 |  | Sodium hydroxide |
|-------|-------------------------------------------------------------------------------------|------------------|

### FURTHER OPTIONS AND CONSUMABLES

|            |                                                      |
|------------|------------------------------------------------------|
| 88400-0474 | Tin foils, 36x36 mm, -HR-(200 pieces / packing unit) |
|------------|------------------------------------------------------|

|            |                        |
|------------|------------------------|
| 88400-0640 | Copper Turnings, 200 g |
|------------|------------------------|

|            |                  |
|------------|------------------|
| 88400-0638 | N Catalyst, 50 g |
|------------|------------------|

|            |                                                           |
|------------|-----------------------------------------------------------|
| 88400-0637 | Large Ceramic Ash Crucibles-HR-(10 pieces / packing unit) |
|------------|-----------------------------------------------------------|

|            |                                       |
|------------|---------------------------------------|
| 88400-0636 | Copper sticks-HR-(100 g/packing unit) |
|------------|---------------------------------------|

|            |                                                  |
|------------|--------------------------------------------------|
| 88400-0635 | Aluminium oxide pellets (Furnace reagent); 200 g |
|------------|--------------------------------------------------|

|            |                                                                                     |                   |
|------------|-------------------------------------------------------------------------------------|-------------------|
| 88400-0508 |  | Steel wool, 454 g |
|------------|-------------------------------------------------------------------------------------|-------------------|

|       |                                                                                     |                    |
|-------|-------------------------------------------------------------------------------------|--------------------|
| 90330 |  | Quartz wool (50 g) |
|-------|-------------------------------------------------------------------------------------|--------------------|

90332



Glas wool (50 g)

88400-0644

Tinfoil, 51x51 mm (200 pieces / packing unit)

## FURTHER HARDWARE TOOLS (SPATULA, TONGUES )

88400-0229



Tweezers (160 mm), curved, 1 piece

88400-0472



Tweezers (145 mm), straight, 1 piece

88400-0475



Set with 6 spatula and 1 tweezers for multiple weighing procedures

## TYPICAL SPARE PARTS

88400-0006



Reagent glass tube 20x280 mm

11064-3002

Reagent tube 305x20

40000-3512

Combustion tube

## CALIBRATION MATERIALS

### PRIMARY SUBSTANCES

90710-3010



EDTA, 50 g

90710-3030

Succrose

90810



Calcium carbonate

### COAL PREMIUM

92550-3010

Specified for C;H;N;S ; TGA

92550-3020



Specified for C;H;N;S ; TGA

92550-3040



Specified for C;H;N;S ; TGA

92550-3060



Specified for C;H;N;S ; TGA

#### COKE PREMIUM

92560-3010



Specified for C;H;N;S ; TGA

#### PET COKE PREMIUM

92570-3020

Specified for C;H;N;S ; TGA

92570-3020

Specified for C;H;N;S ; TGA